

HOW TO INSPECT THE INTEGRITY OF THE POCO AG BUCKLE (“TENSION LOCK”)



POCO AG™ PREMIUM



POCO AG™ PLUS



PCOC AG™

We have become aware that a small batch of products may have an incorrectly manufactured, cut buckle that poses a potential safety hazard. Your safety is our number one priority. Please follow the steps below to determine if this issue affects your Poco AG™ series pack.

CHECKING THE POCO AG BUCKLE (“TENSION LOCK”)

First, find the buckles on your carrier.



The issue is limited to buckles (“tension locks”) located at the end of the harness straps (circled above).

Here’s what a normal buckle looks like:



Using the instructions below, check if the anchor bar that the webbing wraps around is fully intact and solid, or is cut.

CHECKING THE POCO AG BUCKLE (“TENSION LOCK”)

IN ORDER TO INSURE THE PROPER FUNCTIONALITY OF YOUR POCO AG AND THE SAFETY OF ALL USERS PLEASE FOLLOW THESE STEPS AS CLOSELY AS POSSIBLE TO INSPECT YOUR BUCKLES.



1. Grab the buckle (“tension lock”) and slide the webbing to one corner of the buckle.
2. Make sure there are NO cuts or cracks in the plastic anchor bar.



3. Rotate the buckle until you can see indentations on the back side of the buckle anchor bar.
4. Make sure there are NO cuts or cracks in the plastic anchor bar.



5. Slide the bar back into the webbing sleeve (the neutral position).



6. Slide the webbing to the opposite corner of the buckle.
7. Make sure there are NO cuts or cracks in the plastic anchor bar.



8. Rotate the buckle until you can see 3 indentations on the back side of the buckle anchor bar.
9. Make sure there are NO cuts or cracks in the plastic anchor bar.



10. Repeat these steps to check the buckle on the other harness strap, regardless of what you find on the first harness strap.



11. If one or both of the buckles on the harness straps are cut, or if you have any questions about the inspection process, please contact Outdoor Agencies immediately at 02 8717 7308 and ask for Jeremy Gordon, or email him at jeremyg@outdooragencies.com.au.